mdf italia

© COPYRIGHT 2021 MDF ITALIA SRL SOCIETA' UNIPERSONALE

2013-2019

MINIMA 3.0

Designed by Bruno Fattorini

Minima 3.0 by Metrica design Bruno Fattorini.

Minima 3.0: three stands for the three key elements that compose the system: shelf, frame, cabinets. Essential and flexible, Minima 3.0 represents the natural makeover of Minima, MDF Italia collection's icon product, special mention at the XVII Compasso D'Oro ADI in 1998. Technology and innovation have enabled this thin aluminium structure, to propose an increasingly minimal yet strong identity. The storage units (with door, flap opening door, drawers, or open) are simply resting inside the structure and are repositionable quite easily. Uprights and shelves made of matt lacquered white and graphite grey extruded aluminium (100% recyclable). Nominal lengths of cabinets: 30, 60, 90 cm, available in a matt lacquered micro-goffered finish or in a wood variant. Two options: ground-resting (in 8 heights) or hanging (in 4 heights), always with a 33 cm depth.

NOVELTIES 2019

Today Minima 3.0 evolves and renews, turning into a more versatile and adaptable furnishing system, capable of joining more functions.

The new Minima 3.0 is divided into 5 types: GROUND-RESTING, HANGING, SKETCH, SIDEBOARD AND ROOM DIVIDER. In addition, for the ground-resting version, two new heights are available - 261.5 e 298 - and new shelves with LED lights integration.

STRUCTURE

Uprights and shelves made of extruded aluminium and assembled together by using a concealed joining system, capable of giving the structure stability and a special resistance to loads.

Minima 3.0 is entirely made of 100% recyclable aluminium.

MINIMA GROUND-RESTING

The wall fixing is for always suggested for heights 152 / 188.5 / 225 / 261,5 / 298 cm. The wall end frames are provided with holes for the wall fixing.

To use the system H152, H188.5, H225 (except H261,5 and H298) as a room divider for home and work environments, it is mandatory to join two structures together so as to obtain a ground depth of 66 cm to ensure a proper stability to the system.

CABINETS

The cabinets can be with open, door, flap opening doors or drawers. They are simply resting inside the structure and are repositionable quite easily, thus allowing to meet any storage requirements as desired and to choose your own lifestyle by using different colours, woods and shapes.

MINIMA 3.0 CABINETS

CABINETS D33 FOR MINIMA 3.0 GROUND-RESTINBANGINGSKETCH AND ROOM DIVIDER

Open cabinet L30



L30 D33 H35 cm

Cabinet with one or two dawers L60/90









L60 D33 H35 cm

L90 D33 H35 cm

L60 D33 H15 cm only Sketch compositions

L90 D33 H15 cm only Sketch compositions

LOCK

DOOR

FLAP

DRAWERS

On dawer element the lock can only be put on the

REQUEST.

FOR

CABINET,

UPON

Cabinet with door or with popening door L60/90





L60 P33 H35 cm

L90 P33 H35 cm

CABINETS D39 FOR MINIMA 3.0 SIDEBARD

Withflap opening door or dawers L90/120









L90 D39 H35 cm


L120 D39 H35 cm

L90 D39 H35 cm

L120 D39 H35 cm


SHELVES


The shelving lengths are nominal and correspond to the inner usable space of the bookcase



Shelf D30 for Minima 3.0 ground-resting on INOT available with LED


NB: shelves for Sideboard composition have depth 39 cm






H115.5 H79

H42.5




- 1 ground-resting end framecompleted with fittings
 2 ground-resting intermediate frame
 3 shelf

- 4 open cabine; L30 5 cabinet
- 6 adjustable feet




MINIMA 3.0GROUND-RESTING

RULES FOR COMPOSITIONS WITH INTEGRED LED



POWER FOR LED COMPOSITIONS



LENGTH OFFHE WATT CONSUMPTION
SHELFWITH LED FOR EACH SHELF

60 cm 6,5 W

90 cm 10 W

120 cm 13,5 W

ELECTRIFIED FRAMES FOR ALL HEIGHTS 100W

INTHEABOVE EXAMPLEO SHELVES WITH LED CM 90 = 20 X 100 = 2000 W*maximum quver limit for 2 elecfred frames

MINIMA 3.0GROUND-RESTING

SHELVES ${\sf E-STANDARD}\ shelf$ F1 - LEFT end shelf with CONNECTOR F2 - RIGHT end shelf with CONNECTOR G1 - LEFT end shelf with G2 - RIGHT end shelf with CONNECTORAND LIGHT CONNECTORAND LIGHT H - end/interme**ali**e shelf with LIGHT

A1 - electrified frame left - max power 100 W A2 - electrified frame right - max power 100 W

A3 - end frame not electrified

Important:

- nportant:
 The electrified frame is always in front
 Left SX or right DX electrified upright to be selected according to the customer needs or to the position of the electrical outlet
 Max 2 electrified frames per composition.
- The simultaneous use of the left SX and right DX electrified upright is necessary only if the power indicated in the scheme (100 W per upright) exceeded
- Max height of the frame 298 cm.
 US/EU/UK plug to be purchased according to the number of elec**ed**fframes.

D33 SHELVES

E - standard shelf F1 - left end shelf with connector


F2 - right end shelf with connector

G1 - left end shelf with connector and light


G2 - right end shelf with connector and light
H - end/intermediate shelf with light
- extension kit (to be inserted by the customer)


ELECTRIC SCHEME OF LEDS

I - EXTENSION KIT



MINIMA 3.0HANGING






- 1 hanging end frame (L), completed with fittings and tie rods
 2 wall-fixing
 3 hanging intermediateframe with tie rods

- 4 top shelf 5 shelves (base and intermediate) 6 open cabinet L30
- 7 two-drawer cabinet
- 8 hanging end frame (R), completed withfittings and tie rods

MINIMA 3.0ROOM DIVIDER

EXAMPLE OF CONFIGURATION WITH 7 SHEVES




Width of the compositions and pairing of the shelves


60	120 (60+60)	180 (60+60+60)	240 (60+60+60)
90	180 (90+90)	270 (90+90+90)	360 (90+90+90+90)
120	240 (120+120)	360 (120+120+120)	480 (120+120+120+120)

 $IMPCRTANT: Compositions\ max\ 6\ columns Mixed\ compositions eg:\ 60+90+60, are\ not\ allowed$

LIST OF COMPONENTS OF THE END FRAME



EXAMPLE OF CONFIGURTION WITH 7 SHEVES



5 columns 6 columns

Width of the compositions and pairing of the shelves


•	300 (60+60+60+60+60)	 •	360 (60+60+60+60+60)	
	450 (90+90+90+90+90)		540 (90+90+90+90+90)	
	600 (120+120+120+120+120)		720 (120+120+120+120+120+120)	


IMPCRTANT: Compositions max 6 columns Mixed compositionseg: 60 + 90 + 60, are not allowed

S		A1	A2	В	С				
No. columns				reinforced			L		
) -		reinforced	reinforced				hanging		
· .		end frame	end frame	intermedate		shelf	shelf	end shelf L	end shelf R
ž	height	L	R	frame	frame	D33	D33	D33	D33
	H250	1	1	-	-	1	5	-	-
ا د	H260	1	1	-	-	1	5	-	-
column	H270	1	1	-	-	1	6	-	-
	H280	1	1	-	-	1	6	-	-
-	H290	1	1	-	-	1	6	-	-
	H300	1	1	-	-	1	6	-	-
	H250	1	1	-	1	2	-	5	5
Sut	H260	1	1	-	1	2	-	5	5
ĽΞ	H270	1	1	-	1	2	-	6	6
columns	H280	1	1	-	1	2	-	6	6
2	H290	1	1	-	1	2	-	6	6
	H300	1	1	-	1	2	-	6	6
	H250	1	1	-	2	8	-	5	5
columns	H260	1	1	-	2	8	-	5	5
l E	H270	1	1	-	2	9	-	6	6
00	H280	1	1	-	2	9	1	6	6
3	H290	1	1	-	2	9	-	6	6
	H300	1	1	-	2	9	-	6	6
	H250	1	1	1	2	4	-	10	10
columns	H260	1	1	1	2	4	1	10	10
l E	H270	1	1	1	2	4	-	12	12
9	H280	1	1	1	2	4	-	12	12
4	H290	1	1	1	2	4	-	12	12
	H300	1	1	1	2	4	-	12	12
	H250	1	1	2	2	5	5	10	10
ate	H260	1	1	2	2	5	5	10	10
ď	H270	1	1	2	2	5	6	12	12
campate	H280	1	1	2	2	5	6	12	12
5	H290	1	1	2	2	5	6	12	12
	H300	1	1	2	2	5	6	12	12
	H250	1	1	1	4	16	-	10	10
campate	H260	1	1	1	4	16	-	10	10
du.	H270	1	1	1	4	18	-	12	12
car	H280	1	1	1	4	18	-	12	12
9	H290	1	1	1	4	18	-	12	12
	H300	1	1	1	4	18	-	12	12

MINIMA 3.0ROOM DIVIDER


HEIGHTS





MINIMA 3.0ROOM DIVIDER

HEIGHTS ON REQUEST



ELEMENTS NEEDED FOR CUSTOM HEIGHTS

No. columns	height	A1 reinforced end frame L	A2 reinforced end frame R	B reinforced intermedate frame	C intermediate frame	shelf D33	hanging shelf D33	end shelf L D33	end shelf R D33
۽	H230	1	1	-	-	1	5	-	-
column	H240	1	1	-	-	1	5	-	-
1 co	H310	1	1	-	-	1	7	-	-
_	H320	1	1	-	-	1	7	-	-
Su	H230	1	1	-	1	2	-	5	5
columns	H240	1	1	-	1	2	-	5	5
	H310	1	1	-	1	2	-	7	7
2	H320	1	1	-	1	2	-	7	7
SC	H230	1	1	-	2	8	-	5	5
اَقِ	H240	1	1	-	2	8	-	5	5
columns	H310	1	1	-	2	10	-	7	7
æ	H320	1	1	-	2	10	-	7	7
SC	H230	1	1	1	2	4	-	10	10
اَقِ	H240	1	1	1	2	4	-	10	10
columns	H310	1	1	1	2	4	-	14	14
4	H320	1	1	1	2	4	-	14	14
Sc	H230	1	1	2	2	5	5	10	10
columns	H240	1	1	2	2	5	5	10	10
l Sol	H310	1	1	2	2	5	7	14	14
5 (H320	1	1	2	2	5	7	14	14
Sc	H230	1	1	1	4	16	-	10	10
columns	H240	1	1	1	4	16	-	10	10
g	H310	1	1	1	4	20	-	14	14
9	H320	1	1	1	4	20	-	14	14

NB: feasibility, prices and delivry times are to be verified with our Sales Department

Finish options

STRUCTURE

Matt painted









Matt painted white X053

Matt painted graphite grey X054

Matt painted shadow grey X122

Matt painted nickel pearl X123

Material top







Reconstructed Reconstructed marble black ebony X111

marble white Carrara X120

Italian walnut (fine wood) X119

CABINET

Door, flap door and drawers









Matt lacquered white X042

Matt laquered shadow grey

Matt laquered pearl nickel

Natural black wood X029

Open units

















Fine wood, Italian walnut X119

Natural wood X027

Natural grey wood X028

Natural black wood X029

Matt lacquered white X042

Matt laquered shadow grey

Matt laquered nickel pearl

Matt lacquered dark red X046



Matt lacquered orange X047



Matt lacquered must ardyellow X048




Matt lacquered avio blue X050



Matt lacquered green X049

mdf italia



© COPYRIGHT 2021 MDF ITALIA SRL SOCIETA' UNIPERSONALE

2016

MINIMA 42

Designed by Bruno Fattorini

Minima 42 by Metrica design Bruno Fattorini.

The considerable span of the shelf in extruded aluminium combined with the joining system, have allowed to develop the system in length, making it modern and adjustable to any kind of environment. Modular and flexible even thanks to the new kinds of storage units. This can be with open, door, flap opening doors or drawers. They are simply resting inside the structure and are repositionable quite easily, thus allowing to meet any storage requirements as desired. Uprights and shelves made of matt lacquered white and graphite grey extruded aluminium (100% recyclable). Nominal lengths of cabinets: 30, 60, 90 cm, height 42 cm and depth 33 cm. Available in a matt lacquered micro-goffered finish or in a wood variant. Minima 42 is available in a ground-resting variant (in 5 heights), always with a 33 cm depth.

Units with door, with flap opening door and two-drawer are available with lock.

STRUCTURE

Uprights and shelves made of extruded aluminium and assembled together by using a concealed joining system, capable of giving the structure stability and a special resistance to loads. Minima 42 is entirely made of 100% recyclable aluminium.

CABINETS

Elements made of MD-wood fibreboards, available in matt lacquered micro-goffered finish in the following colour options: white, orange, avio blue, mustard yellow, green, dark red as well as in the natural wood variant, natural grey wood and natural black wood.

H225

H181

H137

H93H

49.5





Finish options

STRUCTURE

Matt painted





Matt painted white X053

Matt painted graphite grey X054

CABINET

Door and flap door





Natural black wood X029

Matt lacquered white X042

Drawers





Matt lacquered white X042

Natural black wood X029

Open units

















Natural wood X027

Natural grey wood X028

Natural black wood X029

lacquered white X042

Matt Matt lacquered dark red X046

Matt lacquered orange X047

Matt lacquered mustard yellow X048

Matt lacquered avio blue X050



Matt lacquered green X049