

Hopper combo






© design by Dirk Wynants

extremis®



Dimensions


The Hopper combo is available in 4 lengths




Box dimensions

The Hopper combo comes in 4 boxes


Box 1: Tabletop



Box 2: bench



Box 3: Picnic legs + mounting kit





Box 4: Straight legs



Box dimensions (inch)		L	W	H	Qty	Volume (ft ³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Hopper combo 180	Box 1	78.74	34.25	5.91	1	9.18	115.52	104.50	11.02
	Box 2	39.25	15.5	10.0	1	2.83	31.31	28.22	3.09
	Box 3	44.25	25.0	24.5	1	15.89	82.45	46.74	35.71
	Box 4	36.02	12.60	4.13	1	1.06	33.07	28.66	4.41
	Total:					28.96	262.35	208.12	54.23
Hopper combo 240	Box 1	97.24	34.25	5.91	1	11.30	150.80	137.13	13.67
	Box 2	65.0	12.5	10.0	1	4.59	48.50	45.86	2.65
	Box 3	44.25	25.0	24.5	1	15.89	82.45	46.74	35.71
	Box 4	36.02	12.60	4.13	1	1.06	33.07	28.66	4.41
	Total:					32.84	314.82	258.39	56.44
Hopper combo 300	Box 1	119.67	34.25	5.91	1	14.12	182.10	164.02	18.08
	Box 2	95.25	12.5	10.0	1	7.06	68.34	59.08	9.26
	Box 3	44.25	25.0	24.5	1	15.89	82.45	46.74	35.71
	Box 4	36.02	12.60	4.13	1	1.06	33.07	28.66	4.41
	Total:					38.13	365.96	298.5	67.46
Hopper combo 360	Box 1	147.05	34.25	5.91	1	17.30	212.53	191.80	20.72
	Box 2	119.0	12.5	10.0	1	8.83	83.56	78.71	4.85
	Box 3	44.25	25.0	24.5	1	15.89	82.45	46.74	35.71
	Box 4	36.02	12.60	4.13	1	1.06	33.07	28.66	4.41
	Total:					43.08	411.61	345.91	65.69

Backrest

The backrest is available in 4 lengths



L


Backrest box

The backrests comes in 2 boxes

Box 5: support (2x)



Box 6: Wooden plank






55.75

Dimensions (inch)	L
Backrest for 180	31.25
Backrest for 240	54.75
Backrest for 300	78.5
Backrest for 360	102.25

Box dimensions (inch)		L	W	H	Qty	Volume (ft ³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Backrest for 180	Box 5	20.75	10.5	2.0	1	0.35	4.85	3.53	1.32
	Box 6	34.5	6.5	2.25	1	0.35	7.50	6.61	0.88
Total:						0.70	12.35	10.14	2.20
Backrest for 240	Box 5	20.75	10.5	2.0	1	0.35	4.85	3.53	1.32
	Box 6	59.0	6.5	2.25	1	0.35	12.35	11.46	0.88
Total:						0.70	17.20	15.00	2.20
Backrest for 300	Box 5	20.75	10.5	2.0	1	0.35	4.85	3.53	1.32
	Box 6	82.75	6.5	2.25	1	0.71	16.98	15.43	1.54
Total:						1.06	21.83	19.00	2.90
Backrest for 360	Box 5	20.75	10.5	2.0	1	0.35	4.85	3.53	1.32
	Box 6	106.25	6.5	2.25	1	0.71	23.81	22.49	1.32
Total:						1.06	28.66	26.00	2.60

Cushion

The cushions are available in 4 lengths



Cushion bag

The cushion comes in 1 plastic bag


Bag 1: cushion

Dimensions (inch)	L
Cushion for 180	38.25
Cushion for 240	61.75
Cushion for 300	85.5
Cushion for 360	109.0




Box dimensions (inch)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Cushion for 180	Bag 1	38.25	10.75	1.25	1	0.35	2.65	2.65	0.00
Cushion for 240	Bag 1	61.75	10.75	1.25	1	0.35	3.53	3.53	0.00
Cushion for 300	Bag 1	85.5	10.75	1.25	1	0.71	4.41	4.41	0.00
Cushion for 360	Bag 1	109.0	10.75	1.25	1	0.71	5.29	5.29	0.00

Wheelchair accessibility dimensions

As specifications for wheelchair accessibility vary around the world, please review the dimensions below to ensure the measurements of each solution meet the specifications of your local requirements



Only accessible on side with no bench




Dimensions (inch)	L	l1
Hopper combo 180	70.0	69.25
Hopper combo 240	93.75	93.0
Hopper combo 300	117.25	116.5
Hopper combo 360	141.0	140.25


Materials & colors

Check price list or www.extremis.com for current materials & colors









Tabletop, bench & backrest








Frame




Legs & backrest supports



Sunbrella® cushions



Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		inch	micron					
Iroko tabletop & bench	<ul style="list-style-type: none"> Durability CLASS 1 Feels comfortable in all weather conditions Advisable to oil the wood 	1.18	n.a.	37 à 44 lb/ft ³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hellwood tabletop & bench	 <ul style="list-style-type: none"> Durability CLASS 1 Carries the PEFC™ label for durable forestry Feels comfortable in all weather conditions Advisable to oil the wood 	1.18	n.a.	37 kg/m ³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hot dip galvanized steel frame	<ul style="list-style-type: none"> Most durable method for protecting metal from rusting Protective layer Very long life span 100% recyclable Cradle to Cradle Certified™ 	0.07-0.23	50 - 100	0,47 10 ¹¹ lb/ft ²	Outdoor & indoor	n.a.	Very good, galvanization will however become less shiny when used outdoors	NEN-EN13501-1 A1 *
Structured powder coated aluminium legs and backrest supports	<ul style="list-style-type: none"> A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object More scratch-resistant than non structured powder coating 	0.31	50 - 100	0,47 10 ¹¹ lb/ft ²	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN-EN13501-1 A2-s1 **
Sunbrella® cushions	<ul style="list-style-type: none"> 100% Sunbrella Acrylic Best outdoor fabric available for making cushions Dirt repellent Not waterproof, store inside! Machine washable at max. 30°C. Ironing restores the protective layer 	0.01	n.a.	9.52 oz/ft ²	Outdoor & indoor	The fabric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/

NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

NEN-EN13501-1 A2-s1

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth


Good to know

- 'Hopper' stands for 'Hop Picker', because the range is inspired by hop gardens, harvests and beer fests.
- PEFC™ certified wood originates from sustainably managed forests.
- The Hopper picnic legs are cut out of an aluminium or metal sheet nearly without any loss of material.
- Hopper combo allows you to add more seating comfort with Captain's chairs, and allows kids in a kids chair or people in a wheelchair to join the company.



Important

- Use our packaging material for better support to attach the legs to the tabletop.
 1. Leave the box on the pallet.
 2. Remove the lid of the box.
 3. Take the legs out of the box.
 4. Put the lid back on the box.
 5. Put the tabletop on top of the box.
 6. Assemble the Hopper combo.



F.A.Q.

Q: *Won't those wide boards curl up after a while?*

A: Iroko hardwood & Hellwood are very stable types of wood and Class I. Nevertheless, the tabletop is completely supported by a galvanised frame to which each board is attached separately. The wood has no structural function.

Maintenance

POWDER COATED PARTS

- White powder coating obviously requires more maintenance.

GALVANIZED PARTS

- How to repair a damaged zinc layer.

WOOD

- Clean regularly with mild detergent.
- Thorough cleaning with Extremis Wood Cleaner.
- Oil the wood with Extremis Wood Protector. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- In order to smoothen the surface again after a thorough cleaning, lightly sand your wood with 80 grit sanding paper or a sanding pad.

SUNBRELLA

- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.
- It's also possible to put the blanket and the pillow covers in a washing machine (max 40°C). Follow the cleaning instruction on the label.
- If the cushion has metal brackets, we recommend turning the cover inside out first to avoid damaging the washing machine. In this case, leave the zipper open about 10 cm.

RECOMMENDED USE

- For Extremis Wood protector:

1L	0.5L	
3 to 5 wood care treatments for 180	1 to 3 wood care treatments for 180	200 - 300 ml for one Hopper combo 180
2 to 4 wood care treatments for 240	1 to 2 wood care treatments for 240	250 - 350 ml for one Hopper combo 240
2 to 3 wood care treatments for 300	1 to 2 wood care treatments for 300	300 - 400 ml for one Hopper combo 300
1 to 2 wood care treatments for 360	1 wood care treatments for 360	350 - 500 ml for one Hopper combo 360

Warnings

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the table, but carry it with minimum 2 people.
- The packaging material of the legs must stay intact, you need it to attach the legs to the tabletop.
- 180: max. 4 people or 705 lb per bench - 240: max. 5 people or 882 lb per bench - 300: max. 6 people or 1058 lb per bench - 360: max. 7 people or 1235 lb per bench.
- Regularly clean the flat surface of the legs.

Wood

- When delivered, the wood is untreated.
- Wood is a natural material and its look is different for every slat, plank and tree.
- Wood will gradually become rougher and start to

turn grey as a consequence of exposure to the sun and rain. We recommend oiling the wood at regular intervals depending from location and general weather conditions.

- Clean regularly with mild detergent. Never use a high pressure cleaner as this will roughen the wood's smooth surface and irreparably damage the wood's fiber.
- Thorough cleaning with Extremis Wood Cleaner.
- We strongly recommend that you treat your wood with wood protector to protect it from stains - small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector.

Galvanized steel

- Galvanization will become less shiny when used outdoors.
- Flame retarding - NEN-EN13501-1 A1 - Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Possible impurities in the immersion tank can cause black marks during galvanization, which are intrinsic to this industrial finishing technique.
- White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors.

- This industrial finishing technique may result in a rougher surface. This is intrinsic to the process.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-sl - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.


Sunbrella

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fastness: 7/8 (ISO 105-B02).

Hopper combo AA



© design by Dirk Wynants

extremis®



Dimensions


The Hopper combo AA is available in 3 lengths




62.75 15.0
93.75



86.5 15.0
117.25



110.0 15.0
141.0




17.25 29.25

32.75 11.0
48.5

Box dimensions

The Hopper combo AA comes in 4 boxes


Box 1: Tabletop



Box 2: bench



Box 3: Picnic legs + mounting kit





Box 4: Straight legs




Box dimensions (inch)		L	W	H	Qty	Volume (ft ³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Hopper combo AA 240	Box 1	97.25	34.25	6.0	1	11.30	121.25	94.80	26.45
	Box 2	65.0	12.5	10.0	1	4.59	59.52	55.12	4.40
	Box 3	44.25	25.0	24.5	1	16.60	82.45	46.74	35.71
	Box 4	36.0	12.5	4.25	1	1.06	33.07	28.66	4.41
					Total:	33.55	296.29	225.32	70.97
Hopper combo AA 300	Box 1	119.75	34.25	6.0	1	14.13	152.12	119.05	33.07
	Box 2	95.25	12.5	10.0	1	7.06	74.96	68.34	6.62
	Box 3	44.25	25.0	24.5	1	16.60	82.45	46.74	35.71
	Box 4	36.0	12.5	4.25	1	1.06	33.07	28.66	4.41
					Total:	38.85	342.60	262.79	79.81
Hopper combo AA 360	Box 1	147.0	32.24	6.0	1	17.30	182.98	143.30	39.68
	Box 2	119.0	12.5	10.0	1	8.83	90.39	81.57	8.82
	Box 3	44.25	25.0	24.5	1	16.60	82.45	46.74	35.71
	Box 4	36.0	12.5	4.25	1	1.06	33.07	28.66	4.41
					Total:	43.79	388.89	300.27	88.62

Backrest

The backrest is available in 3 lengths



L



55.75

Backrest box

The backrests comes in 1 box

Box 5: Profile + supports





Dimensions (inch)	L
Backrest for 240	54.75
Backrest for 300	78.5
Backrest for 360	102.25


Box dimensions (inch)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Backrest for 240	Box 5	59.0	6.0	4.0	1	0.71	9.92	8.82	1.10
Backrest for 300	Box 5	82.75	6.0	4.0	1	1.06	11.57	9.92	1.65
Backrest for 360	Box 5	106.25	6.0	4.0	1	1.41	13.23	11.02	2.20

Cushion

The cushions are available in 4 lengths



L



10.75

Cushion box

The cushions comes in 1 plastic bag


Bag 1: cushion

Dimensions (inch)	L
Cushion for 240	61.75
Cushion for 300	85.5
Cushion for 360	109.0


Box dimensions (inch)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Cushion for 240	Bag 1	61.75	10.75	1.25	1	0.35	3.53	3.53	0.00
Cushion for 300	Bag 1	85.5	10.75	1.25	1	0.71	4.41	4.41	0.00
Cushion for 360	Bag 1	109.0	10.75	1.25	1	0.71	5.29	5.29	0.00

Wheelchair accessibility dimensions

As specifications for wheelchair accessibility vary around the world, please review the dimensions below to ensure the measurements of each solution meet the specifications of your local requirements



Only accessible on side with no bench










Dimensions (inch)	L	l1
Hopper combo AA 240	93.75	93.0
Hopper combo AA 300	117.25	116.5
Hopper combo AA 360	141.0	140.25





Materials & colors

Check price list or www.extremis.com for current materials & colors

Tabletop, bench, legs & backrest

	Black (RAL9005) Structured powder coating
	Earth Structured powder coating
	Beach beige (RAL1019) Structured powder coating
	Off white (RAL9002) Structured powder coating
	Verdigris Structured powder coating
	Reed green (RAL6013) Structured powder coating
	Copper brown (RAL8004) Structured powder coating

Sunbrella® cushions

	Grey chiné Sunbrella Natté
	Dark taupe Sunbrella Natté
	Coconut Sunbrella Savane
	Marble Sunbrella Lopi
	Charcoal Sunbrella Lopi
	Leaf green Sunbrella Heritage
	Rust Sunbrella Heritage



Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		inch	micron					
Structured powder coated aluminium tabletop, bench, legs & backrest	<ul style="list-style-type: none"> A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object More scratch-resistant than non structured powder coating 	0.39	50 - 100	0.47 10 ³ ft/lb ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN -EN13501-1 A2-s1 **
Sunbrella® cushions	<ul style="list-style-type: none"> 100% Sunbrella Acrylic Best outdoor fabric available for making cushions Dirt repellent Not waterproof, store inside! Machine washable at max. 30°C. Ironing restores the protective layer 	0.01	n.a.	9.53 oz/ft ²	Outdoor & indoor	The fabric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/

NEN-EN13501-1 A2-s1

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth

Good to know

- 'Hopper' stands for 'Hop Picker', because the range is inspired by hop gardens, harvests and beer fests.
- The legs (for the benches) are cut out of an aluminium or metal sheet nearly without any loss of material.
- Hopper combo AA allows you to add more seating comfort with Captain's chairs, and allows kids in a kids chair or people in a wheelchair to join the company.



Maintenance

POWDER COATED PARTS




- White powder coating obviously requires more maintenance.

SUNBRELLA

- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.
- It's also possible to put the blanket and the pillow covers in a washing machine (max 40°C). Follow the cleaning instruction on the label.
- If the cushion has metal brackets, we recommend turning the cover inside out first to avoid damaging the washing machine. In this case, leave the zipper open about 10 cm.

Important

- Use our packaging material for better support to attach the legs to the tabletop.
 1. Leave the box on the pallet.
 2. Remove the lid of the box.
 3. Take the legs out of the box.
 4. Put the lid back on the box.
 5. Put the tabletop on top of the box.
 6. Assemble the Hopper combo.



Warnings

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the table, but carry it with minimum 2 people.

- The packaging material of the legs must stay intact, you need it to attach the legs to the tabletop.
- 9,45 inch: max. 5 people or 881,85 inch per bench
- 11,81 inch: max. 6 people or 1058,22 lb per bench
- 14,17 inch: max. 7 people or 1234,59 lb per bench.
- Regularly clean the flat surface of the legs.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-s1 - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products

will not significantly contribute to the fire load and fire growth.

- Dark colors can get very hot in sunny weather.

Sunbrella

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fastness: 7/8 (ISO 105-B02).

Hopper shade

© design by Dirk Wynants


extremis®



Dimensions


The Hopper shade is available in 3 lengths

Hopper shade with assembly under Hopper picnic




Dimensions (inch)	L
Hopper shade 240	95.0
Hopper shade 300	118.75
Hopper shade 360	142.25

Hopper shade with assembly to Hopper picnic




Dimensions (inch)	L
Hopper shade 240	95.0
Hopper shade 300	118.75
Hopper shade 360	142.25

Hopper shade with floor fastening



Dimensions (inch)	L	I1
Hopper shade 240	98.0	88.25
Hopper shade 300	121.5	111.75
Hopper shade 360	145.25	135.5

Hopper shade with concrete base




Dimensions (inch)	L	I1
Hopper shade 240	100,71	85,51
Hopper shade 300	124,33	109,13
Hopper shade 360	147,87	132,68

Box dimensions

The shade comes in several boxes

Box 1: Fabric + cover



Box 2: Poles



Box 3: Foot support



Box 4: Tube



Box 5: Floor fastening



Box 6: Concrete blocks



Box 7: Frame for concrete base



Box dimensions (inch)		L	W	H	Qty	Volume (ft ³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Hopper shade 240	Box 1	98.0	7.5	7.5	1	3.18	46.30	39.68	6.61
	Box 2	90.25	6.5	5.75	1	1.77	57.12	54.81	2.31
					Total:	4.94	110.03	94.49	8.93
Hopper shade 300	Box 1	121.75	7.5	7.5	1	3.88	59.13	52.51	6.61
	Box 2	90.25	6.5	5.75	1	1.77	57.12	54.81	2.31
					total:	5.65	116.25	107.32	8.93
Hopper shade 300	Box 1	145.25	7.5	7.5	1	4.59	63.16	56.53	6.61
	Box 2	90.25	6.5	5.75	1	1.77	57.12	54.81	2.31
					total:	6.36	120.28	111.36	8.93
Assembly under Hopper picnic	Box 3	12.5	9.0	11.25	1	0.71	33.84	32.74	1.10
	Box 4	49.25	2.75	2.0	1	0.35	10.43	6.02	4.41
					total:	1.06	44.27	38.76	5.51
Assembly to Hopper picnic	Box 3	12.5	8.75	4.25	1	0.35	18.03	17.37	0.66
Floor fastening	Box 5	12.5	8.75	4.25	1	0.35	13.56	12.96	0.66
Concrete base	Box 6	22.75	8.25	7.0	4	3.18	268.96	264.55	4.41
	Box 7	60.75	6.25	3.75	1	0.71	110.76	108.45	2.31
					total:	3.88	379.72	373.00	6.72

Materials & colors

Check price list or www.extremis.com for current materials & colors

Fabric



White
High-tech polyester



Grey taupe
High-tech polyester

Poles & tubes



Stainless steel



Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		inch	micron					
High-tech polyester fabric	<ul style="list-style-type: none"> High UV protection factor High tear strength 	0.02	n.a.	10.93 oz/ft ²	Outdoor & indoor	The fabric has a water column of 350mm (EN 20811)	7-8/8 (ISO 105-B02)	/
Stainless steel poles & tubes	<ul style="list-style-type: none"> High rusting resistance Periodical maintenance required 	0.07 - 0.31	n.a.	0.49 10 ³ lb/ft ³	Outdoor & indoor	n.a.	Very good	NEN-EN 13501-1 A1*
Concrete base	<ul style="list-style-type: none"> Self-consolidating concrete Higher strength Very smooth finish 	6.29	n.a.	0.14 10 ³ lb/ft ³	Outdoor & indoor	n.a.	Very good	NEN-EN13501-1 A1*
Cover	<ul style="list-style-type: none"> 100% polyester Polyuréthane coating Breathable, so not 100% waterproof 	0.2	n.a.	8.46 oz/ft ²	Outdoor & indoor	One side very waterproof, one side breathable	6-8/8 (ISO 105-B02)	/

NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

Good to know

- Hopper shade combines perfectly with Hopper picnic.
- If you combine Hopper shade on concrete base with Hopper, keep in mind that the Hopper should be 1 size smaller, otherwise the table won't fit between the concrete base.
- 'Hopper' stands for 'hop picker', because the range is inspired by hop gardens, harvests and beer fests. The slanted poles of the shade clearly resemble the poles of a hops garden.
- The parasol cover is included.

Floor fastening

Hopper shade comes with an optional floor fastening set.



F.A.Q.

Q: What will happen to the shade if it is rolled out during a heavy downpour?

A: As the ground is never 100% level, the water on the shade will first run to the centre of the shade and will then run off one side. A small amount of water may remain in the centre of the shade, but when you close the shade, it will also run off.

Q: How wind resistant is the shade?

A: Tests in a windtunnel have shown that the shade withstands wind speeds up to 31 mph. Still, we strongly advise to close it sooner (from 18 mph is the rule of thumb).

Q: Do you need to use a shade cover?

A: The cover is needed to protect and fix the shade when not in use. Protect your shade from polluted rain, bird droppings, dust and heavy winds to avoid marks or stains on the shade fabric.

Maintenance

STAINLESS STEEL


- Clean regularly with a dry cloth and some stainless steel cleaner.

PARASOL FABRIC


- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.

Important

- Never try to open the shade by pulling only one pole towards you.
- Hopper shade AISI 316 is advised for use near the sea or swimming pools.
- Always make sure that both sides are open to prevent any damage to the shade.



NOT GOOD



GOOD

Warnings ⚠

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the parasol.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- In case of strong winds, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the shade, but carry it with minimum 2 people.
- Anchoring the product has to be done by qualified people.
- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.
- In case of strong winds or if it is not being used, close the shade and tilt the latches downwards. Put the protective cover over the shade to prevent it from blowing open or getting dirty.
- For ventilation purposes, the cover is not 100% water proof.
- If you do not plan to use the shade for an extended period of time (e.g. during winter months), we recommend letting the shade dry completely & then storing it away in a dry environment until the next planned use.
- Do not leave the parasol closed for a long time when the parasol fabric is still damp or wet.

- Do not leave the shade unattended when opened.
- Tests in a windtunnel have shown that the shade withstands wind speeds up to 31 mph. Still, we strongly advise to close it sooner (from 18 mph is the rule of thumb).
- Never try to open the shade by pulling only one pole towards you.
- Always make sure that both sides are open to prevent any damage to the shade.
- Hopper shade AISI 316 is advised for use near the sea or swimming pools (clean regularly).
- If you combine Hopper shade on concrete base with Hopper, keep in mind that the Hopper should be 1 size smaller, otherwise the table won't fit between the concrete base.
- During assembly, use a stable ladder step tool to insert the fabric roller tubes.
- In order not to soil the fabric, we recommend that you first wash your hands or wear gloves.
- Always make sure that no obstacles are situated between the shade and the table when closing the shade - mind your fingers.
- When closing the shade, it will suddenly speed up when it reaches its tipping point. Keep a firm grip on the leather strap and carefully guide the shade into its closed position. Some strength is required to hold the weight - Wrong or incautious use can cause serious injury. Always make sure that no people or obstacles are situated close to the poles or between the shade and the table when opening the shade.
- Do not open & close the shade with your bare feet, always wear shoes.
- For small people the shade can be too heavy to

open single-handedly by means of the leather strap. In case, open the shade together with another person. (1m70)

- Do not use torches, candles, bbq's, etc under the shade.

High-tech polyester

- Shake or brush off loose dirt immediately.
- Do not use any aggressive detergents as they will remove the protective coating of the fabric.
- We strongly advise you not to use a high-pressure hose for cleaning.

Stainless steel

- Very good UV color fastness.
- Flame retarding: NEN-EN13501-1 A1 - Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Watch out, stainless steel isn't entirely rustproof! Be sure to avoid contact with iron objects. If it does show signs of rust, clean with rust remover as quickly as possible.

Concrete

- Matt and porous.
- Very good UV color fastness.
- Flame retarding: NEN-EN13501-1 A1 - Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.